

CE & UKCA WC Pan Declaration of Performance**CE Declaration of Performance****EN****No: V-DOP-997**

1. Unique identification code of the product type:

See Product List

2. Intended use/es:

Personal Hygiene (PH)

3. Manufacturer:

Eczacıbaşı Yapı Gereçleri Sanayi ve Ticaret A.Ş.
Büyükdere Caddesi, Ali Kaya Sokak, No:5
34394 Levent/İstanbul/Türkiye
Email : cemre.mak@vitra.com.tr
Web : www.vitra.com.tr
T +90 212 350 80 00
F +90 212 350 81 22

4. Authorised representative:

VitrA Bad GmbH Agrippinawerft 24 50678 Köln
Email: peter.wieler@vitra-bad.de
Web : www.vitra-bad.de
T +49 221 277368 267
F +49 221 277368 5 267

5. System/s of AVCP:

System 4

6a. Harmonised standard:

EN 997:2012/AC:2012

7. Declared performance/s:

Essential Characteristics	Performance	Harmonized Technical Specification
Capacity of flushing water (CF)	Technical Class*	EN 997:2012/AC:2012
Backflow prevention (of foul air) (BP)	Pass (✓) / NPD*	
Cleanability (CA)	Pass (✓) / NPD*	
Load resistance (LR)	Pass (✓) / NPD*	
Water/leak tightness (WL)	Pass (✓) / NPD*	
Valve reliability (VR)	Pass (✓) / NPD*	
Durability (DA)	Pass (✓) / NPD*	

*The specific performance of the individual article is determined by the characteristic code specifies in the product list. If no performance has been determined for an essential characteristic, this is indicated with "NPD".

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Nihat BALTACI
(Quality Assurance Senior Manager)
İstanbul



11.05.2026

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance**UKCA Declaration of Performance****EN****No: V-DOP-997**

1. Unique identification code of the product type:

See Product List

2. Intended use/es:

Personal Hygiene (PH)

3. Manufacturer:

*Eczacıbaşı Yapı Gereçleri Sanayi ve Ticaret A.Ş.
Büyükdere Caddesi, Ali Kaya Sokak, No:5
34394 Levent/İstanbul/Türkiye
Email : cemre.mak@vitra.com.tr
Web : www.vitra.com.tr
T +90 212 350 80 00
F +90 212 350 81 22*

4. Authorised representative:

*Vitra UK Limited Park 34, Collett, Didcot Oxfordshire
OX11 7WB United Kingdom
Email: info@vitra.co.uk
Web : www.vitra.co.uk
T +44 (0) 1235 750 990
F +44 (0) 1235 750 980*

5. System/s of AVCP:

System 4

6a. Harmonised standard:

BS EN 997:2018

7. Declared performance/s:

Essential Characteristics	Performance	Harmonized Technical Specification
Capacity of flushing water (CF)	Technical Class*	BS EN 997:2018
Backflow prevention (of foul air) (BP)	Pass (✓) / NPD*	
Cleanability (CA)	Pass (✓) / NPD*	
Load resistance (LR)	Pass (✓) / NPD*	
Water/leak tightness (WL)	Pass (✓) / NPD*	
Valve reliability (VR)	Pass (✓) / NPD*	
Durability (DA)	Pass (✓) / NPD*	

*The specific performance of the individual article is determined by the characteristic code specifies in the product list. If no performance has been determined for an essential characteristic, this is indicated with "NPD".

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, as it is effect in the United Kingdom under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Nihat BALTACI

(Quality Assurance Senior Manager)

İstanbul



11.05.2026

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance**CE Leistungserklärung****DE****No: V-DOP-997**

1. Eindeutiger identifikationscode des produkttyps:

Siehe Produktliste

2. Verwendungszweck(e):

Persönliche Hygiene (PH)

3. Hersteller:

Eczacıbaşı Yapı Gereçleri Sanayi ve Ticaret A.Ş.
Büyükdere Caddesi, Ali Kaya Sokak, No:5
34394 Levent/İstanbul/Türkiye
Email : cemre.mak@vitra.com.tr
Web : www.vitra.com.tr
T +90 212 350 80 00
F +90 212 350 81 22

4. Bevollmächtigter:

VitrA Bad GmbH Agrippinawerft 24 50678 Köln
Email: peter.wieler@vitra-bad.de
Web : www.vitra-bad.de
T +49 221 277368 267
F +49 221 277368 5 267

5. System/e von AVCP:

System 4

6a. Harmonisierte norm:

EN 997:2012/AC:2012

7. Erklärte leistung:

Wesentliche Eigenschaften	Leistung	Harmonisierte Technische Spezifikation
Spülanforderungen (CF)	Technische Klasse*	EN 997:2012/AC:2012
Rückflussverhinderung (BP)	Bestanden (✓) / NPD*	
Reinigbarkeit (CA)	Bestanden (✓) / NPD*	
Statische Belastbarkeit (LR)	Bestanden (✓) / NPD*	
Dichtheit (WL)	Bestanden (✓) / NPD*	
Ventil-zuverlässigkeit (VR)	Bestanden (✓) / NPD*	
Dauerhaftigkeit (DA)	Bestanden (✓) / NPD*	

*Die spezifische Leistung des einzelnen Artikels wird durch den in der Produktliste angegebenen Merkmalscode bestimmt. Wurde für ein wesentliches Merkmal keine Leistung festgestellt, ist dies mit "NPD" angegeben.

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.

Unterzeichnet für und im Namen des Herstellers von:

Nihat BALTACI

(Senior Manager Qualitätssicherung)

İstanbul



11.05.2026

CE & UKCA WC Pan Declaration of Performance**CE Déclaration Des Performances****FR****No: V-DOP-997**

1. Code d'identification unique du produit-type :

Veuillez Voir le Liste de Produits

2. Utilisation ou utilisations prévues :

Hygiène personnelle (PH)

3. Fabricant :

*Eczacıbaşı Yapı Gereçleri Sanayi ve Ticaret A.Ş.
Büyükdere Caddesi, Ali Kaya Sokak, No:5
34394 Levent/İstanbul/Türkiye
Email : cemre.mak@vitra.com.tr
Web : www.vitra.com.tr
T +90 212 350 80 00
F +90 212 350 81 22*

4. Représentant autorisé :

*VitrA Bad GmbH Agrippinawerft 24 50678 Köln
Email: peter.wieler@vitra-bad.de
Web : www.vitra-bad.de
T +49 221 277368 267
F +49 221 277368 5 267*

5. Systèmes d'AVCP :

Système 4

6a. Norme harmonisée :

EN 997:2012/AC:2012

7. Performance déclarée :

Caractéristiques Essentielles	Performance	Spécifications Techniques Harmonisées
Capacité de chasse d'eau (CF)	Classe Technique*	EN 997:2012/AC:2012
Protection ant-retour (de l'air vicié) (BP)	Réussi (✓) / NPD*	
Aptitude au nettoyage (CA)	Réussi (✓) / NPD*	
Resistance à la charge (LR)	Réussi (✓) / NPD*	
Etanchéité à l'eau / Etanchéité aux fuites (WL)	Réussi (✓) / NPD*	
Fiabilité de la vanne (VR)	Réussi (✓) / NPD*	
Durabilité (DA)	Réussi (✓) / NPD*	

*La performance spécifique de l'article individuel est déterminée par le code caractéristique spécifié dans la liste des produits. Si aucune performance n'a été déterminée pour une caractéristique essentielle, cela est indiqué par 'NPD'.

Les performances du produit identifié ci-dessus sont conformes à l'ensemble des performances déclarées. Cette déclaration de performance est délivrée, conformément au règlement (EU) No 305/2011, sous la seule responsabilité du fabricant identifié ci-dessus.

Signé pour et au nom du fabricant par :

Nihat BALTACI

(Responsable Assurance Qualité Senior)

İstanbul



11.05.2026

CE & UKCA WC Pan Declaration of Performance**CE Performans Beyanı****TR****No: V-DOP-997**

1. Ürün tipi kimlik kodu:

Ürün Listesine Bakınız

2. Kullanım amacı/amaçları:

Kişisel Sağlığa Uygunluk (PH)

3. İmalatçı:

*Eczacıbaşı Yapı Gereçleri Sanayi ve Ticaret A.Ş.
Büyükdere Caddesi, Ali Kaya Sokak, No:5
34394 Levent/İstanbul/Türkiye
Email : cemre.mak@vitra.com.tr
Web : www.vitra.com.tr
T +90 212 350 80 00
F +90 212 350 81 22*

4. Yetkili Temsilci:

*Eczacıbaşı Yapı Gereçleri Sanayi ve Ticaret A.Ş.
Büyükdere Caddesi, Ali Kaya Sokak, No:7
34394 Levent/İstanbul/Türkiye
Email: gokcen.tunali@vitra.com.tr
Web : www.vitra.com.tr
T +90 212 350 80 00
F +90 212 350 81 22*

5. Performansının değişmezliğinin değerlendirilmesi ve doğrulanması sistem/sistemleri:

Sistem 4

6a. Uyumlaştırılmış standart:

EN 997:2012/AC:2012

7. Beyan edilen performans/lar:

Temel Karakteristikler	Performans	Uyumlaştırılmış Teknik Şartname
Yıkama suyu kapasitesi (CF)	Teknik Sınıf*	EN 997:2012/AC:2012
Geri akışın önlenmesi (BP)	Geçer (✓) / NPD*	
Temizlenebilirlik (CA)	Geçer (✓) / NPD*	
Yüke dayanım (LR)	Geçer (✓) / NPD*	
Su sızdırmazlık (WL)	Geçer (✓) / NPD*	
Vana güvenilirliği (VR)	Geçer (✓) / NPD*	
Dayanıklılık (DA)	Geçer (✓) / NPD*	

*Her bir parçanın özel performansı, ürün listesinde belirtilen karakteristik kod tarafından belirlenir. Temel bir özellik için herhangi bir performans belirlenmemişse, bu "NPD" ile belirtilir.

Yukarıda tanımlanan ürün, beyan edilen performans/lar grubuna sahiptir. (EU) No 305/2011 Yönetmeliği uyarınca hazırlanan bu performans beyanı sadece yukarıda tanımlanan imalatçının sorumluluğu altında yayımlanır.

İmalatçı adına imzalayan:

Nihat BALTACI

(Kalite Güvence Kıdemli Müdürü)

İstanbul



11.05.2026

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance**CE Dichiarazione Di Prestazione****IT****No: V-DOP-997****1. Codice di identificazione unico del tipo di prodotto:***Vedi la Lista Prodotti***2. Usi previsti:***Igiene Personale (PH)***3. Produttore:**

Eczacıbaşı Yapı Gereçleri Sanayi ve Ticaret A.Ş.
Büyükdere Caddesi, Ali Kaya Sokak, No:5
34394 Levent/İstanbul/Türkiye
Email : cemre.mak@vitra.com.tr
Web : www.vitra.com.tr
T +90 212 350 80 00
F +90 212 350 81 22

4. Rappresentante Autorizzato:

Vitra Bad GmbH Agrippinawerft 24 50678 Köln
Email: peter.wieler@vitra-bad.de
Web : www.vitra-bad.de
T +49 221 277368 267
F +49 221 277368 5 267

5. Sistema/i di AVCP:**Sistema 4****6a. Norma Armonizzata:****EN 997:2012/AC:2012****7. Prestazione/i dichiarate/i :**

Caratteristiche essenziali	Prestazioni	Specifiche Tecniche Armonizzate
Capacità di scarico acqua (CF)	Classe tecnica*	EN 997:2012/AC:2012
Prevenzione del riflusso (di aria viziata) (BP)	Pass (✓) / NPD*	
Pulibilità (CA)	Pass (✓) / NPD*	
Resistenza al carico (LR)	Pass (✓) / NPD*	
Tenuta all'acqua (WL)	Pass (✓) / NPD*	
Affidabilità valvole (VR)	Pass (✓) / NPD*	
Durabilità (DA)	Pass (✓) / NPD*	

*La prestazione specifica del singolo articolo è determinata dal codice caratteristiche specificato nella lista prodotti. Se nessuna performance è stata determinata per una caratteristica essenziale, questa è indicata con "NPD".

La prestazione del prodotto identificato qui sopra è in conformità alle prestazioni dichiarate. Questa dichiarazione di prestazione è rilasciata, in accordo con il Regolamento UE 305/2011, sotto la responsabilità esclusiva del produttore identificato qui sopra.

Firmato per o a nome del produttore da:

Nihat BALTACI
(Senior Manager Assicurazione Qualità)
İstanbul

**11.05.2026**

CE & UKCA WC Pan Declaration of Performance**Ürün Listesi / Product List / Produktliste / Liste De Produits / Elenco Dei Prodotti**

Kod/ Code/ Code/ Typ/ Codice	Yıkama suyu kapasitesi/ Capacity of flushing water/ Spülenforderun gen/ Capacité de chasse d'eau/Capacità di scarico acqua (CF)	Geri akışın önlenmesi/ Backflow prevention (of foul air)/ Rückflussver- hinderung/ Protection anti- retour (de l'air vicié)//Prevenzion e del riflusso (BP)	Temiz- lenebilirlik/ Cleanability/ Reinigbarkeit// Aptitude au nettoyage / Pulibilità (CA)	Yüke dayanım/ Load resistance/ Statische Belastbarkeit / Resistance à la charge/ Resistenza al carico (LR)	Su sızdırmazlık/ Water-leak tightness/ Dichtheit/ Etanchéité à l'eau - Etanchéité aux fuites/Tenuta all'acqua (WL)	Vana güvenilirliği/ Valve reliability/ Ventil- Zuverlässigkei t/ Fiabilité de la vanne/ Affidabilità valvole (VR)	Dayanıklılık/ Durability/ Dauerhaftigke it /Durabilità/Du rabilità (DA)	Harmonize Teknik Şartname/ Designation Code/ Code de Designation / Harmonisierte Technische Spezifikation/Norma armonizzata/ Specifiche tecniche armonizzate
2110-003-0081	6	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2110-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2110-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2110-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2111-003-0081	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2111-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2111-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2111-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2247-003-1429	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
2426-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2426-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2534-003-0081	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2534-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2553-003-0081	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2553-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2630-003-1575	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2630-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
2855-003-1429	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4035-003-0123	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-0124	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-0403	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-0858	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-0859	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-0900	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-0925	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-1251	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4035-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4074-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4074-003-7096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-1273	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

4160-003-1278	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-1305	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-1664	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7117	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7155	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-403-7300	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4160-403-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-7090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-7092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-7117	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-403-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4164-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4200-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4201-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4253-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4254-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4254-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4254-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4254-070-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4254-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4254-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4254-470-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4254-470-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4254-483-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4264-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4270-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

4270-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4270-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4270-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4300-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4300-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4300-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4300-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4303-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4303-003-7790	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4303-095-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4304-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4304-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4304-003-7790	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4305-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4305-003-0686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4305-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4305-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4305-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4305-095-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4305-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4305-603-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4326-003-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4328-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4328-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4328-003-1296	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4328-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4328-070-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4328-070-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4328-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4328-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4330-003-0096	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4337-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-0079	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-0282	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-6115	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-6164	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-7060	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-7061	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-7200	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-003-7201	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-403-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-403-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-403-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-403-6153	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

4337-403-7201	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-403-7202	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4337-403-7202	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4354-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4354-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4354-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4355-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4355-095-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4355-403-0250	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4356-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4356-095-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4356-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4379-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4379-003-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4379-003-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4379-003-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4379-403-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4379-403-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4379-403-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4379-483-1322	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-0688	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-1295	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-1297	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-1298	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-1615	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-1618	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-1654	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-6047	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-7080	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-7168	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-003-7204	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-403-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-403-1295	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-403-1298	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-403-1618	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-403-7080	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4392-403-7081	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4393-003-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4393-003-0079	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4393-003-0090	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4393-003-0143	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4393-403-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4395-003-0092	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4395-003-0093	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

4395-003-0096	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4395-003-0585	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4395-003-0610	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4395-003-7700	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4395-003-7701	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4395-403-0096	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4397-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4397-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4400-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4400-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-001-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-0079	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-0143	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-0282	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-1322	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-1684	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-1787	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6070	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6073	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6131	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6137	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6138	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6154	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6157	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6164	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-6165	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7060	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7061	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7155	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7157	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7168	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7169	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7200	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7201	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7202	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7203	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7205	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7206	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7207	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7211	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-003-7700	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-020-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-070-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-070-6115	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-070-7203	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-403-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-403-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-403-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-403-6153	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

4448-403-6157	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-403-6165	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-403-7204	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-403-7206	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4448-703-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-003-0079	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-003-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-003-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-003-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-003-1651	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-003-7201	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-070-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-070-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-403-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-403-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4449-403-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4464-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4464-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4464-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4464-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4464-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4465-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4465-003-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4465-003-0143	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4470-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4470-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4470-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4470-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4470-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4470-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4480-003-0508	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4480-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4490-003-0508	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4490-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4493-003-1105	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4494-003-1105	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4500-003-0508	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4500-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4504-003-1105	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4518-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4518-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4518-403-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4518-470-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4518-470-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4597-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4597-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4597-003-7155	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4597-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4597-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4597-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4597-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4597-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

4597-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4597-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
4948-003-1792	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4948-403-1792	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4948-403-1793	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4948-403-1794	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4948-403-1812	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
4948-403-6262	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-1030	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-1517	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-1518	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-1696	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-1727	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-1796	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-7132	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-003-7133	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-090-1028	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-090-1030	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-095-1028	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5091-095-1030	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5092-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5092-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5092-003-7157	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5092-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5110-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5110-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5110-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5110-003-0173	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5110-003-7157	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5110-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7706	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7707	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7708	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7709	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7710	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7711	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7712	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7713	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7714	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7715	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7717	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-003-7718	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-095-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-095-7103	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-095-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-095-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5111-095-7713	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-099-1630	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5111-099-7716	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5112-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5112-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5112-003-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5112-003-1273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5112-003-6003	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5112-003-7132	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5112-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5138-003-0143	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-0173	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-1664	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5124-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5126-009-1256	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-0143	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-0173	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-1664	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-403-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5138-703-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5139-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5139-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5140-003-0092	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-003-0096	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-003-0585	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-003-0610	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-003-0960	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-003-7200	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-003-7203	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-003-7700	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-403-0092	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-403-0096	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5140-403-0585	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5159-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5159-003-0143	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5160-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-0079	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-0686	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-1035	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-1125	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-1412	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-1428	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-6048	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-6051	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5160-003-6057	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-6058	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-7200	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-7201	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-003-7202	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-403-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-403-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-403-1035	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5160-403-1125	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5161-003-0092	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-0094	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-0096	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-0585	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-0610	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-1037	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-1099	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-1269	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-1414	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-7060	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-003-7700	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-403-0096	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5161-403-1037	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5168-003-0313	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5168-403-0313	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5173-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-0079	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-0282	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-0686	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1084	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1085	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1086	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1087	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1285	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1409	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1447	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1448	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1547	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1548	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1584	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1587	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1605	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1641	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1648	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1684	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1685	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1686	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-1687	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-6199	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7094	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7095	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5173-003-7096	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7168	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7169	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7202	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7204	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7206	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7207	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7211	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7212	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7700	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7701	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-003-7702	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-1084	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-1086	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-1087	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-1584	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-1587	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-1684	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-1687	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-7211	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-403-7212	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-603-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5173-703-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5175-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5175-003-6059	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5175-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1087	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1584	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1587	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1684	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1685	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-1886	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-6233	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-6243	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7087	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5176-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7212	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-003-7213	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-018-1684	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-083-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-083-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1087	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1584	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1587	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1684	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1685	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-403-7212	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5176-603-1685	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5184-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5195-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5195-068-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5196-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5201-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5201-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5201-003-7046	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5201-003-7049	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5202-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5202-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5202-003-7046	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5202-003-7049	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5202-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5210-003-0685	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5210-003-1068	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5216-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-003-1413	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-003-6042	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-003-7060	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-403-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5216-403-1036	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-403-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-403-6057	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5216-403-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5217-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5217-003-1036	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5217-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5217-003-1413	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5217-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5217-403-1036	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5217-403-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5226-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-1278	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-7117	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5226-095-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5236-003-0845	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5238-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5238-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5247-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-0690	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-0874	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-1030	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-1305	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-6039	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-7701	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-003-7702	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-403-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5247-703-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5248-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5248-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5248-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5248-003-1305	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5248-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5248-403-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5258-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5258-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5258-003-0874	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5258-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5258-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5258-003-7701	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5258-003-7702	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5258-403-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5259-003-1135	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5262-003-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5263-003-0685	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5263-003-5155	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5269-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5269-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5269-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5269-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5283-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5283-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5283-003-1128	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5283-003-6132	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5283-003-6133	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5283-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5283-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5283-403-1128	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5284-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5284-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5284-403-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5285-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5285-003-1035	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5285-003-1125	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5285-003-1412	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5285-003-1428	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5285-090-1035	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5285-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5285-403-1125	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5286-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5286-003-1035	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5286-003-1125	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5286-003-1412	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5286-003-1428	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5286-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5286-403-1125	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-0845	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-0899	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-0927	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-1023	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-1401	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-1665	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5293-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7097	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7138	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5293-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5296-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5296-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5296-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5296-003-0845	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5296-003-1023	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5297-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5297-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5297-003-0845	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5297-003-1023	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5298-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-0672	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-0845	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-1384	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-1402	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-1443	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-1444	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-7098	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5298-403-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5299-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5299-003-0845	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5299-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5304-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5304-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5318-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-0079	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-1273	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-6039	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7070	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7100	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7157	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7202	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-003-7205	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5318-095-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-403-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-403-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5318-603-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5319-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5319-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5319-003-7070	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5319-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5319-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-0686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-1273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-6039	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-6086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-7070	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-7161	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5320-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5321-003-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-0079	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-0088	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7070	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7090	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7095	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7161	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7200	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7201	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7700	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7701	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7702	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7703	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7704	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7705	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7706	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-003-7707	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-095-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-095-7200	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-403-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-403-7070	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-403-7200	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5321-603-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-0173	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-1664	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5323-003-7022	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-7090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-7092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-7117	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-7157	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-7161	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5323-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-0092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-0121	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-0410	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-0610	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-0920	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-0960	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-1250	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-1524	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-6060	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-6092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7161	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7168	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7201	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7203	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7204	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7205	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7206	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7700	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7701	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-003-7702	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-095-0092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-095-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-095-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-095-1250	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-095-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-403-0092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-403-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-403-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-603-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-603-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5332-703-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5335-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5347-003-0096	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5347-003-0141	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5347-003-0410	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5347-003-0960	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5347-003-1250	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5347-003-1291	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5347-003-7700	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5347-003-7701	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5347-003-7702	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5348-003-0079	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5348-003-0088	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5348-003-1290	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5348-003-1404	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5348-003-7700	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5348-003-7701	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5348-003-7702	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5349-003-0410	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5349-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5349-003-0960	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5349-003-1250	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5349-003-1524	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5349-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5349-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5349-403-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5353-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5353-003-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5354-003-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-0079	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-0088	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-0090	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-0143	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-1645	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-6183	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-7090	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-7092	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-7161	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-003-7200	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-095-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-095-0088	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-403-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-603-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-603-0088	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5369-703-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5384-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5384-003-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5384-003-6050	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5384-003-7060	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5384-003-7155	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5384-003-7200	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5384-003-7201	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5384-003-7204	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5385-003-0075	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5385-003-0090	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5388-003-0092	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5388-003-0093	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5388-003-0141	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5388-003-0585	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5388-003-0683	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5388-003-7790	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5389-003-0313	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5389-003-0612	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5411-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5411-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5411-003-0097	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5411-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-0170	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-1503	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-1644	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7060	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7161	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-095-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-495-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-495-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-603-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-703-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5421-703-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-0079	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-7060	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-7090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-7700	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-7701	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-7702	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-7703	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-003-7704	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-095-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-095-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-403-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-495-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-603-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5424-703-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5426-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5426-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5426-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5426-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5426-003-0100	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5426-003-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5426-003-1305	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5426-003-7117	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5426-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-0092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-0610	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-0920	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-1099	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-1250	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-1269	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-1291	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-1524	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-6092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-7203	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-7204	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-7700	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-7702	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-7703	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-003-7704	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-095-0092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-095-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-095-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-095-0610	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-403-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-403-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-495-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-495-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-603-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-603-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-703-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5427-703-0585	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5430-003-0133	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5430-009-0133	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5430-009-1393	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5431-009-1393	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5447-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5448-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5449-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5450-009-0523	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5454-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5454-009-1256	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5459-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5469-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5505-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-0868	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-1138	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-1696	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5505-003-1727	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-1737	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-6055	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-6091	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-003-6191	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-095-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-095-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-095-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-095-0868	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-403-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-403-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-495-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-495-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-603-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-603-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-603-0850	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-603-0868	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5505-703-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-003-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-003-1138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-095-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-095-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-403-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-403-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-495-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-603-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-603-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5506-703-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-0282	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-0686	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-0868	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1045	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1138	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1160	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1497	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1603	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1696	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1727	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1815	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-1816	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-6053	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-6055	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-6066	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-6072	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-6118	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-6185	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-6186	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5507-003-6280	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7084	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7084	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7095	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7096	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7100	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7168	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7202	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7203	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7204	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7205	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7206	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7207	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7700	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-003-7790	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-083-7204	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-095-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-095-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-095-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-095-0868	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-095-7095	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-403-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-403-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-403-0868	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-495-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-495-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-603-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-603-0868	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-703-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5507-703-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5510-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-003-1664	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-095-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-095-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-403-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-495-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-495-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-603-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-603-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-703-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-703-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5510-703-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-1664	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5511-003-7097	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-095-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-095-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-095-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-403-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-495-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-495-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-495-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-603-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-603-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-703-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-703-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5511-703-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-0960	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-1099	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-1250	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-1269	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-1524	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-1806	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7706	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7707	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-003-7708	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-095-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-095-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5512-095-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-095-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-403-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-403-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-403-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-495-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-495-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-495-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-495-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-603-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-603-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-603-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-703-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-703-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-703-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5512-703-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-1606	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7097	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-095-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-495-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-603-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5513-703-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5516-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5516-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5516-003-1135	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5517-003-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5517-003-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5517-003-1135	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5517-003-7095	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5518-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5518-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-0143	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-1278	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-1664	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-1786	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5520-003-7090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-7092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-7097	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-003-7790	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-095-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-095-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-095-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-095-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-403-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-403-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-403-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-403-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-495-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-495-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-495-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-495-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-603-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-603-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-603-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-603-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-703-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-703-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-703-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5520-703-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5540-003-0092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5540-003-0096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5553-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5553-403-1185	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5554-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5554-403-1185	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5554-403-1322	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5554-403-7089	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5575-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5575-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5575-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5575-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5575-003-7145	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5575-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5575-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5618-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-0686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-1273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-1745	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-1761	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-6037	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-6039	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-6136	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-6239	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-6240	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-6250	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5618-003-7070	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-7090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-7161	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-083-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-083-6136	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-095-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5618-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-003-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-050-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-403-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-403-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-403-1612	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5648-403-1628	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-003-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-003-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-003-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-003-1322	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-003-7090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-403-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-403-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-403-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5671-603-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5672-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5672-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5672-003-1084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5672-003-1085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5672-403-1085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6103	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6104	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6193	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6194	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6195	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6196	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6209	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6212	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6218	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6219	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6220	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5674-003-6221	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6274	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6275	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6309	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-6313	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-003-7208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-6103	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-6104	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-6123	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-6124	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-6193	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-6194	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-6195	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-6196	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5674-403-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-001-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-0101	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1084	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1085	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1086	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1087	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1492	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1584	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1587	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1592	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1684	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1685	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1686	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1687	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-1692	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-6112	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-6113	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7091	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7094	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7095	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7168	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7169	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7201	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7202	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5676-003-7203	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7204	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7205	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7206	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7207	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7211	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-003-7212	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-070-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-0075	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-0090	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-0559	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1084	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1085	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1086	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1087	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1584	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1587	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1684	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1686	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1687	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-1793	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-6113	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-6592	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-7202	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5676-403-7211	4 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5677-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-083-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-083-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-403-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-403-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5677-403-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5678-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5678-003-0079	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5678-003-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5678-003-7090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5678-403-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5693-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-003-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-003-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-003-0282	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-003-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-003-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-003-7700	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-401-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-401-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-401-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-403-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-403-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5693-403-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-403-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-403-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-420-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-420-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-420-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-450-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-450-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-450-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-483-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-483-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5693-483-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5740-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5740-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5741-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5741-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5742-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5742-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5742-003-6083	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5742-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5742-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5743-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5743-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5743-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5745-003-1278	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-003-1499	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-083-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-083-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-095-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-095-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5745-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-003-1099	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-403-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-403-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-403-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-603-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5746-703-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5754-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-1135	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-1138	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-6162	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-6225	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-7700	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-003-7701	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-403-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-403-1135	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5754-403-1138	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5755-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5755-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5780-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-0255	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-0483	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-1510	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-1610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-1829	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7226	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-003-7706	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-403-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5780-403-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5781-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7706	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7707	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7708	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7709	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-003-7710	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5781-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5782-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5782-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5785-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-0079	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-0686	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-1305	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-1374	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-6076	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-6077	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-6095	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-6129	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-6187	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-7202	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-7203	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-003-7700	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-403-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5785-403-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5788-003-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-0079	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-0143	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-1374	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-1708	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-1786	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-7090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-7092	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-003-7201	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-403-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-403-0088	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5788-403-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-0075	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-1404	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-6097	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5789-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5789-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5794-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5794-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5794-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5795-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-1374	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-1762	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6076	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6077	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6152	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6230	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6269	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-6287	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-7168	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5795-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5802-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5802-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5802-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5802-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5802-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5802-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5802-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5802-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1374	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1563	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-6078	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5810-003-6234	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-403-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-403-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-403-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-403-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-403-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-603-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5810-603-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-1374	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-1563	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-403-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-403-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-403-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-403-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-403-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5811-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1374	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1563	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-403-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5812-403-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-403-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-403-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-403-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5812-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-0079	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-0979	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1035	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1125	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1130	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1135	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1273	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1278	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1374	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1412	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1428	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1499	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1563	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1606	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-1647	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-6003	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-6078	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-7095	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-003-7204	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-403-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-403-0850	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-403-1035	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-403-1125	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-403-1130	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-403-1135	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-403-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-403-7204	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-603-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-603-0979	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-603-6078	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5813-603-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5814-003-0087	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-0593	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-1286	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-1375	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-1376	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-1377	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-1390	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-1391	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-1564	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-1705	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-7095	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-7096	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5814-003-7132	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-003-7205	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-0087	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-0593	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-1376	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-1377	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-1390	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-1391	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-7205	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-603-0087	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1286	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1376	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1377	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1390	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1391	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1564	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-1376	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-1377	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-1390	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-1391	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-603-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-403-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-403-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-603-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-603-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5818-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-0087	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-0593	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-1376	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5814-403-1377	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-1390	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-1391	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-403-7205	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5814-603-0087	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1286	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1376	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1377	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1390	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1391	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1564	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-1705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-1376	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-1377	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-1390	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-1391	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-403-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5815-603-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5816-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-403-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-403-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-603-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5817-603-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5818-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5818-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5818-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5818-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5818-003-0960	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5819-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5819-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-1278	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5820-003-1499	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-7138	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-003-7706	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-095-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-095-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-099-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-099-0081	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-099-0100	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-099-7707	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5820-099-7708	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5821-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5821-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5821-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-1278	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-1404	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-1832	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-1852	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-1853	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-1854	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-1855	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-020-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5822-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5823-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5823-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5823-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5823-099-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5823-099-0081	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5823-099-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5824-099-1630	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5824-099-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5825-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5825-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5825-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5825-003-1499	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5830-003-0143	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5830-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5831-003-0143	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5831-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5837-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5837-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5837-003-1503	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5871-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5871-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5871-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5871-003-6116	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5871-003-6117	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5871-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5871-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5871-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5872-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5872-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5872-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5872-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5873-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5873-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5873-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5873-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5874-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5874-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-401-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-401-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-420-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-420-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-483-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5884-483-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-401-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-401-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-401-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-401-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-401-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-403-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-403-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-420-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-420-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-420-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-420-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-420-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-470-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-470-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-483-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-483-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-483-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-483-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-483-1578	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5885-483-1678	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-483-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-703-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5885-703-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-0686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-1051	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-1052	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-1053	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-1054	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-1478	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-1484	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-6098	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-6099	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-6111	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7168	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7213	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-003-7213	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-050-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-403-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-403-1478	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5910-703-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-1051	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-1055	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-1056	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-1273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-1478	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-6098	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-6099	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-6100	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-6110	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-6111	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-6148	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-6149	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-6178	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5911-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-403-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-403-1478	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-603-1478	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-703-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5911-703-1478	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5912-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-003-7152	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-003-7169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-403-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-403-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5912-403-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-003-7152	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-403-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-403-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5913-403-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5914-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-1273	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-1560	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5915-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5915-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5923-009-1256	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5926-009-0523	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5928-009-1632	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5930-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-1512	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-1513	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-1540	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-1575	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-7154	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5930-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5931-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5934-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5955-003-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-0559	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-1285	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-1605	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-6004	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-6039	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-6136	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-6158	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-6159	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-6177	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-7155	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-7168	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-7202	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-003-7203	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-6039	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-6122	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-6136	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-6158	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-6159	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-7202	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-095-7203	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-403-0075	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-403-0090	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5955-403-0101	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5956-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-0282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-1138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-1684	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-1770	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6039	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6122	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6143	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6145	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6146	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6158	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6159	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6162	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6163	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6167	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6177	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6184	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6258	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-6268	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7158	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7213	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-095-6146	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-095-6160	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-095-6163	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-095-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-095-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-095-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-403-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-403-1138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5956-603-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-1374	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-1404	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

5959-003-1743	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-1839	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-1851	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-6292	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-6293	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-7168	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5959-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
5960-009-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5961-009-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5961-009-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5962-009-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5962-009-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5981-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-001-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-001-1682	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-001-1786	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-001-7157	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-003-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-003-0079	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-003-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-003-1664	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-003-1682	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-003-1786	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-003-7157	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-403-0075	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5985-403-0090	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-1524	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-1829	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-7152	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-7169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-083-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-403-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-403-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5987-403-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5988-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5988-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5988-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5988-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5988-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
5988-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-003-6032	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

6047-003-6033	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-032-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-032-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-032-6032	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-032-6033	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-603-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-703-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6047-703-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6105-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-0091	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-0686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-1036	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-1374	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-6001	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-7139	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-7145	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-403-7053	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-495-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6105-703-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6106-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6106-003-1036	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-0086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-0091	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-0686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-1273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-1560	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-6054	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-6079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-6117	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-6150	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-6151	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

6107-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7145	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7157	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7207	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7701	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-003-7702	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-009-1067	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-090-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-095-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-095-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-495-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6107-703-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6222-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6222-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6222-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6224-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6224-003-0093	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6224-003-0094	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6224-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6224-003-0141	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6224-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6224-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6224-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6233-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6233-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6233-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6233-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6233-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6236-003-0240	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6239-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6270-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6270-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6270-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6270-003-0874	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6270-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6275-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6275-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6285-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6285-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6285-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6441-003-0313	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6441-003-0399	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6441-003-0521	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

6441-003-0612	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6441-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6441-003-7096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6441-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6441-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6441-003-7706	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6442-003-0313	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6442-003-0399	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6442-003-0612	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6442-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6442-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6442-403-0612	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6468-003-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6468-003-0353	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6468-003-0400	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6468-003-0473	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6468-003-0532	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6468-003-1273	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6468-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6468-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6539-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6539-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6539-003-0588	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6539-003-7011	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6539-003-7117	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6539-003-7790	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6539-003-0079	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6540-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6540-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6540-003-0874	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6540-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6540-703-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6553-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-003-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-003-0212	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-003-0548	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-003-7096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-003-7103	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-003-7138	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-003-7139	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-095-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-095-0548	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-095-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-095-7103	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-403-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6553-603-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6571-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6575-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6575-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6611-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6611-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6611-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

6611-003-7706	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6611-003-7707	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6611-003-7708	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6611-003-7709	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6611-003-7710	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-0838	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-0839	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-1371	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-1642	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-1672	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7084	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7095	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7103	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7148	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7703	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7704	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7706	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7707	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7708	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7709	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-003-7790	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-095-0838	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-099-1652	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6623-099-7710	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6855-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-0282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-0353	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-0400	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-0980	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1026	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1050	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1066	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1223	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1496	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1506	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1519	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1537	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1580	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1653	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1695	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1731	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1737	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

6855-003-1802	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-1875	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6002	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6006	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6064	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6093	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6107	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6114	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6139	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6169	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6214	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6290	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6308	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-6311	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7060	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7103	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7132	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7133	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7134	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7207	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7209	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7701	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7702	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7703	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-003-7704	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-009-1064	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-009-1160	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-061-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-090-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-090-1026	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-0282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-0353	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-1026	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-1066	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-6139	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-7103	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

6855-095-7138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-095-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-099-1777	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-099-6307	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-403-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-403-0282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-403-0353	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-403-0400	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-403-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-403-1026	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-403-1050	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-403-7054	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-490-1026	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-495-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-495-1026	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-603-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-603-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6855-703-0868	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6858-003-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-0171	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-0212	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-0282	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-0400	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-0888	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-0888	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-0891	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1028	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1138	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1497	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1509	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1517	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1525	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1696	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1731	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1785	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1796	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-1875	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-7025	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-7107	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-7132	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-7157	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-061-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-061-1028	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-090-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-090-1028	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-095-0101	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-095-0888	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-095-0891	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6858-095-1028	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

6859-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-1135	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-1374	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-1518	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-1647	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-1798	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-6169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-7132	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-003-7157	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-090-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-090-0081	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-090-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-095-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6859-095-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-0086	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-0215	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-1135	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-1374	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-1518	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-1798	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-003-7132	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-090-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-090-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-095-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6860-095-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-1105	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-6169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-6289	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-7036	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-7090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6875-603-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6877-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6877-009-0523	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

6888-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-0215	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-1135	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-1374	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-1518	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-1647	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-1798	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-1876	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-003-7132	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-090-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-090-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-095-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6888-095-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6889-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6924-003-0313	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6927-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6987-095-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6988-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
6995-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6995-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6995-003-6010	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
6995-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-001-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-1322	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-6136	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-6170	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-6298	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-6299	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-083-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-401-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7040-483-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-001-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-001-6136	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-001-6181	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-001-6184	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-001-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-1584	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-1717	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-6136	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7041-003-6170	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-6181	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-6184	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-6189	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-6200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-6231	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-6253	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-6285	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-003-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-020-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-020-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-020-6181	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-020-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-083-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-083-1584	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-083-6181	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-083-6184	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-083-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-083-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-401-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-401-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-403-1584	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-420-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-420-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-483-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7041-483-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7043-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-1807	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-403-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-403-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-403-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7043-403-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-001-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7044-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7044-403-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7059-001-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7059-001-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7059-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7059-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7059-083-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7059-083-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7059-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7059-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7060-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-003-0688	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-003-6189	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-020-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-050-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7060-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-001-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-003-6136	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-003-6170	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-003-6215	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-003-6288	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-083-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-403-6170	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7062-403-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-6136	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-6170	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-6215	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-6231	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-6286	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7063-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7063-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7064-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7064-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7064-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7064-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7081-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7081-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7081-020-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7081-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7081-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-001-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-003-1584	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-003-7209	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-003-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-020-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-083-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-083-7209	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-401-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-401-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-420-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-420-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-483-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7082-483-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7085-001-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7085-001-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7085-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7085-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7085-083-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7085-083-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7085-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7085-403-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7086-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7086-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7086-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7086-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7086-403-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7087-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7087-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7087-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7093-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7093-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7093-003-0399	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7093-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7093-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7093-003-1821	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7093-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7093-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7093-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7094-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7094-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7094-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7094-003-0170	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7094-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7094-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7098-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-001-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-003-6237	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-003-6238	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-083-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7098-403-6592	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7099-001-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7099-001-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7099-001-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7099-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7099-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7099-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7099-083-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7099-083-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7099-083-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7105-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7112-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7112-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7113-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7113-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7114-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7114-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7115-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7115-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7116-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7117-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7118-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7119-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7130-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7130-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7131-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7131-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7132-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7132-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7132-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7132-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7132-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7133-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7133-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7134-003-0075	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7134-003-0087	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7134-003-0593	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7136-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7138-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7160-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7162-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7164-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7231-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7231-003-6216	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7231-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7231-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7231-403-6216	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7231-403-6245	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7231-403-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7231-403-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7232-003-6217	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7232-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7232-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7232-403-1763	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7232-403-6217	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7232-403-6246	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7232-403-6312	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7232-403-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7232-403-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7233-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7233-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7245-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7245-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7245-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7245-476-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7245-476-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7260-003-1732	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7270-003-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7270-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7271-003-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7271-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7272-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7272-003-1412	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7272-003-1428	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7273-003-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7273-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7273-003-1429	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7274-003-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7274-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7274-003-1429	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7320-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7320-403-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7321-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7321-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7328-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7328-003-1757	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7328-003-1817	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7328-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7328-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7328-470-0075	6 LT	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7328-470-0090	6 LT	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7360-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7360-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7361-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7361-003-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7362-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7362-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7362-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7362-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7450-009-1632	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7454-009-0523	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7484-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-1786	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-1867	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-6300	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-6321	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-7157	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-7161	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7484-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7485-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7485-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7485-003-1867	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7485-003-6321	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7488-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7488-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7488-003-0410	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7488-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7488-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7488-003-1834	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7488-003-7161	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7488-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7489-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7489-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7489-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7489-003-1499	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7489-003-1867	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7489-003-7161	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7489-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-1682	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-1786	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-6321	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-7157	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-7161	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7491-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7507-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-0580	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7507-003-1629	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-1762	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-1786	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-6053	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-6066	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-6191	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-6210	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-6240	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7507-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-1273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-1278	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-1374	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-1762	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-1864	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-6210	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-6240	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7508-003-6259	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-001-6327	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-1771	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-1869	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-6301	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-6320	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-6327	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-7161	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-020-6327	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-076-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-076-6327	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-483-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-483-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7510-483-6322	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7511-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7511-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7511-003-6319	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7511-003-6320	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7514-003-0092	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7514-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7514-003-0410	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7514-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7514-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7514-003-1850	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7514-003-7161	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7514-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7515-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7515-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7515-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7515-003-1771	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7515-003-7161	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7515-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7517-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7517-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7517-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7517-003-1869	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7517-003-6321	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7517-003-7161	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7517-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7550-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7550-403-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7551-003-0075	6 LT	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7551-003-1135	6 LT	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7551-403-1135	6 LT	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-003-1560	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-003-6079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7641-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7642-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7642-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7643-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7643-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7643-003-1647	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7644-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7644-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7644-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7644-003-1864	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7645-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7645-003-1647	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7649-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-1278	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-6078	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-6270	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-7145	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-7146	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7649-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7650-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7650-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7650-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7670-001-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-001-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-003-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-003-1584	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-003-7090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-003-7211	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-020-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-020-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-070-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-070-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-083-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7670-083-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7672-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-001-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-001-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1087	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1492	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1584	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1587	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1592	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1684	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1685	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1692	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1718	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-1719	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6074	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6112	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6161	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6166	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6168	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6244	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6247	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6251	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-6592	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7071	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7672-003-7072	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7073	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7094	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7207	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7209	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7212	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7213	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7214	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7215	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7216	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7217	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7218	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7219	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7220	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7221	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7223	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7224	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7225	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-020-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-020-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-020-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-050-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-050-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-070-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-070-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-070-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-083-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-083-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-083-1686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-083-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-401-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-401-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-401-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1086	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1087	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7672-403-1584	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1587	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1684	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1685	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-6112	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-6161	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-6166	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-6592	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-7212	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-7213	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-403-7214	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-420-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-420-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-420-1686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-420-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-450-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-450-1686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-450-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-470-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-470-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-483-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-483-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-483-1686	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-483-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-483-1687	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-603-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-603-1085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-603-1587	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-703-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-703-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-703-1084	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-703-1085	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7672-703-1087	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7712-403-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7714-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7714-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7714-003-1286	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7714-003-1376	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7714-003-1390	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7714-003-1705	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7714-403-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7714-403-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7714-403-1376	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7714-403-1390	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7740-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-1278	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-1499	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-1762	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-1771	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-6039	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-6119	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-6122	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-6136	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-6188	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-7158	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-095-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-703-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7740-703-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-1480	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-6078	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-6079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-6102	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-6108	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-6144	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-6235	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-7168	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7741-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-070-7138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-095-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-095-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-403-1130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-403-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-403-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7741-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-0097	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-0282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-1160	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-1278	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-1389	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-6083	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-6094	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-6130	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-6165	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-6166	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7742-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-003-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-003-6249	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-401-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-401-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-401-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-401-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-401-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-401-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7743-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-1598	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-6249	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-403-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-420-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-420-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-420-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-420-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-420-1651	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-420-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-420-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-470-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-470-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-470-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-470-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-470-1598	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-470-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-470-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-483-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-483-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-483-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-483-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-483-1598	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-483-1698	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-483-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-603-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-603-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-703-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7743-703-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-1412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-1428	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-6051	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-403-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-403-1035	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7744-403-1125	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-001-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7747-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-0282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-6073	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-6115	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-6154	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-6197	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-7061	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-020-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-020-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-070-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-070-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-070-7138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-083-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-403-6153	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-403-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7747-403-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-1787	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-7157	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-7158	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-001-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-0282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-1651	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-1684	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-1718	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-1719	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-1814	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-1842	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-1843	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6073	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6115	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7748-003-6155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6248	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6252	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6283	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6294	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6295	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-6296	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7061	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7095	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7096	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7157	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7158	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7207	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7216	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7218	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-003-7701	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-020-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-020-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-020-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-020-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-020-7158	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-020-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-045-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-050-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-050-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-050-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-050-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-050-7158	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-050-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-070-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-070-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-070-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-070-6154	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-070-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-070-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-070-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-0282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7748-083-1787	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-6153	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-6284	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-6294	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-7155	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-7158	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-083-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-401-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-401-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-401-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-1684	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-6153	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-6206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-403-7212	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-420-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-420-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-450-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-450-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-470-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-470-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-483-0101	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-483-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-483-6156	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-483-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-603-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-703-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7748-703-0559	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7749-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7749-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7749-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7749-003-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7749-003-6078	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7749-003-6079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7749-003-6144	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7783-003-0092	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7783-003-0096	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7783-003-0410	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7783-003-0585	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7783-003-0610	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7783-003-1524	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7783-003-2225	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7785-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7786-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7786-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7786-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7786-003-6324	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7786-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7815-403-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-403-1768	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-403-1769	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-420-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-420-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-420-1768	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-420-1769	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-450-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-450-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-450-1768	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-450-1769	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-483-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-483-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-483-1768	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7815-483-1769	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-1278	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-1560	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-7168	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7820-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-0170	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-1278	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-1635	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-7700	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-7701	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7821-003-7702	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7822-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7822-003-0087	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7822-003-0088	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7822-003-0169	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7822-003-0593	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7826-003-0075	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7826-003-0087	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7830-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-001-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-020-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-020-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7830-050-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-050-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-083-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-401-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-401-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-403-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-403-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-420-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-420-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-450-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-450-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-483-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7830-483-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7847-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7847-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-001-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-001-1499	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-001-6154	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-001-6323	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-003-0090	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-003-1499	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-003-1771	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-003-6147	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-003-6323	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-020-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-020-6147	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-020-6154	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-076-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-076-6154	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-083-1499	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-083-6147	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7848-083-6323	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-0079	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-0850	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-0874	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-0979	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1030	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1135	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1278	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1374	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1429	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1499	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1518	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1623	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1647	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1767	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1798	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1840	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-1841	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7855-003-6108	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6150	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6169	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6179	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6180	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6182	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6192	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6213	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6227	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6236	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6281	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6282	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6305	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6306	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-6310	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7145	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7700	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-003-7701	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-095-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-095-7138	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7855-403-1499	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7858-003-0079	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7858-003-0089	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7858-003-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7858-003-1135	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7858-003-1374	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7858-003-1518	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7858-003-1647	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7858-003-1798	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7859-003-6271	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7948-003-1792	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-003-1793	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-003-1812	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-003-1813	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-1792	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-1793	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-1794	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-1812	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-5592	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-6262	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-6263	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-6272	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-6273	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-6304	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-6592	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7948-403-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

7948-403-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
7985-001-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-001-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-001-7157	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-003-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-003-1584	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-003-1682	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-003-1786	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-003-7157	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-020-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-020-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-070-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-070-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-083-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-083-0090	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-083-1786	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-401-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
7985-403-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8110-003-7046	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8110-003-7049	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8111-003-7046	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8111-003-7049	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8200-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8201-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8202-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8220-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8221-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8320-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8320-003-6405	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8320-003-6412	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8320-003-2309	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8321-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8321-003-6406	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8322-003-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8322-003-6405	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8322-003-6431	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8322-083-0075	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8323-001-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8323-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8323-003-6405	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8323-003-6431	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8323-083-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8327-003-0075	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8355-003-1026	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8356-003-1030	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
8358-003-1028	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8359-003-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
8388-003-1030	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9003-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9004-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

9004-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9004-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9004-003-7207	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9004-003-7208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9004-003-7209	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9008-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7208	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7215	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7216	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7217	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7218	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7219	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7220	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7221	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7222	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7223	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7224	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7225	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7226	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7227	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9012-003-7228	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9013-003-7201	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7208	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7209	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9014-003-7210	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9016-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9016-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9016-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9016-083-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9705-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9705-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9705-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9705-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9705-003-7210	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9705-095-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9713-003-1194	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9722-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

9722-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9722-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9722-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9722-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9722-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9722-003-7208	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9729-003-1162	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9729-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9730-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-1162	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-1163	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-7200	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-7201	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-7202	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-7203	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-7205	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-7206	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9736-003-7207	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9737-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9737-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9739-003-0227	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9739-003-1165	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9739-003-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9739-003-7201	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9739-003-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9747-003-0229	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-0958	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7208	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7209	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7210	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7211	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7212	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7213	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9754-003-7214	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9763-003-0567	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9763-003-1206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9763-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9764-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9767-003-0382	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9767-003-1236	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9767-003-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9767-003-7201	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9767-003-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9770-003-0599	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9770-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

9770-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9770-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9773-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9773-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9773-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9773-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9773-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9775-003-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9775-003-7201	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9775-003-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-0599	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-0651	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-0671	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-0802	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-0884	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-1226	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-1239	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7208	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7209	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9780-003-7210	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9785-003-1192	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9785-003-7201	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9793-003-0257	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9793-003-7074	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9793-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9796-003-0954	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9796-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9796-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9796-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9796-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9796-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9796-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-0918	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-0954	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-0984	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-7200	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-7201	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-7202	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-7203	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-7204	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-7205	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-003-7206	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9797-083-7205	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9798-003-0227	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9798-003-1165	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

9798-003-7200	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9798-003-7201	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9798-003-7202	4/6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-1208	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-1209	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-1229	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-1230	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-1231	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-1232	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9800-003-7208	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9801-003-1228	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9801-003-1233	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9801-003-1234	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9801-003-1235	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9801-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9801-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9802-003-1233	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9802-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9802-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9805-003-1120	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9812-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9812-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9812-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9812-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9812-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9812-003-7207	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9812-003-7208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9812-003-7209	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9816-003-7202	4 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9819-003-1233	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9819-003-1234	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9819-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9819-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9819-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9819-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9819-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9819-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9820-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9821-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9821-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9821-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9821-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

9822-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7208	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7209	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7210	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7211	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7212	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7213	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-003-7214	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-020-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9822-095-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9823-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9823-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9823-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9823-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9823-095-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9823-095-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9823-099-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7209	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7210	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7211	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7212	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7213	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7214	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9824-003-7215	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9825-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9825-003-7202	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9826-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9826-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9829-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9829-403-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9830-003-7203	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9830-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9830-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9830-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9830-003-7208	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9830-083-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9830-083-7209	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9830-083-7210	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9830-083-7211	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9831-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9832-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9832-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9832-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9832-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9832-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

9833-001-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-083-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9833-403-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9835-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9835-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9835-003-7211	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9836-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9836-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9836-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9836-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9836-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9836-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9836-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9840-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9841-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9841-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9841-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9843-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9843-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9846-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9846-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9846-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9846-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9847-003-7200	4/6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9848-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9848-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9855-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9856-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9856-003-7201	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9856-003-7202	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9856-003-7204	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9856-003-7205	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9856-003-7206	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9858-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9858-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9859-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9859-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9859-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9863-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9863-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9864-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9864-003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9864-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9865-003-7203	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9865-003-7204	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI

CE & UKCA WC Pan Declaration of Performance

9865-003-7205	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9866-003-7200	6 LT	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9867-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9868-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9869-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9869C003-7204	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9870-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9871-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9872-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9873-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9887-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9888-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9888-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9888-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9888-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9890-003-7200	6 L	✓	✓	✓	✓	✓	✓	EN 997:2012/AC:2012
9891-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9891-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9891-003-7205	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9891-003-7206	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9891-003-7207	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9891-003-7210	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9892-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9894-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9895-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9895-003-7201	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9895-003-7202	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9895-003-7203	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012
9897-003-7200	6 L	✓	✓	NPD	✓	✓	✓	EN 997:2012/AC:2012

PREPARED BY

CEMRE NUR GİRGİN

APPROVED BY

NİHAT BALTACI